

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	L27 and (query same bucket)
--------------	-----------------------------

Display:	<input type="text" value="50"/> Documents in Display Format:	<input type="text" value="-"/> Starting with Number	<input type="text" value="1"/>
-----------------	--	---	--------------------------------

Generate:	<input type="radio"/> Hit List	<input checked="" type="radio"/> Hit Count	<input type="radio"/> Side by Side	<input type="radio"/> Image
------------------	--------------------------------	--	------------------------------------	-----------------------------

Search History

DATE: Tuesday, February 08, 2005
 [Printable Copy](#)
 [Create Case](#)

Set Name Query

side by side

DB=PGPB,USPT; PLUR=YES; OP=ADJ

Hit Count Set Name

result set

<u>L29</u>	L27 and (query same bucket)	1	<u>L29</u>
<u>L28</u>	L27 and (query same histogram)	1	<u>L28</u>
<u>L27</u>	6507840.pn.	1	<u>L27</u>
<u>L26</u>	L11 and histogram	1	<u>L26</u>
<u>L25</u>	(incremental and maintenance and random and sample).ti.	0	<u>L25</u>
<u>L24</u>	L1 and application	1	<u>L24</u>
<u>L23</u>	L1 and (query same bucket)	1	<u>L23</u>
<u>L22</u>	L20 and bucket	0	<u>L22</u>
<u>L21</u>	L20 and (query same bucket)	0	<u>L21</u>
<u>L20</u>	5999192.pn.	1	<u>L20</u>
<u>L19</u>	L17 and (bucket same query\$3)	1	<u>L19</u>
<u>L18</u>	L17 and bucket	1	<u>L18</u>
<u>L17</u>	6507840.pn.	1	<u>L17</u>
<u>L16</u>	L14 same L3	4	<u>L16</u>
<u>L15</u>	L14 near3 L3	0	<u>L15</u>
<u>L14</u>	split\$4 near3 bucket	189	<u>L14</u>

<u>L13</u>	split\$4 near3 query near3 bucket	0	<u>L13</u>
<u>L12</u>	L11 and (query\$3 with bucket)	1	<u>L12</u>
<u>L11</u>	('6353832')!.PN.	1	<u>L11</u>
<u>L10</u>	L9 and bucket	3	<u>L10</u>
<u>L9</u>	('6557011' '6353832' '6028602')!.PN.	3	<u>L9</u>
<u>L8</u>	creat\$3 near3 bucket near3 query\$3	5	<u>L8</u>
<u>L7</u>	creat\$3	1210693	<u>L7</u>
<u>L6</u>	L5 or L4	57419	<u>L6</u>
<u>L5</u>	bucket	34690	<u>L5</u>
<u>L4</u>	histogram	23466	<u>L4</u>
<u>L3</u>	query\$3	62555	<u>L3</u>
<u>L2</u>	L1 and query\$3	1	<u>L2</u>
<u>L1</u>	5870752.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	hole near6 histogram
--------------	----------------------

Display:	<input type="text" value="50"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image
------------------	--

Search	Clear	Interrupt
--------	-------	-----------

Search History

DATE: Tuesday, February 08, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=YES; OP=ADJ

<u>L56</u>	hole near6 histogram	37	<u>L56</u>
<u>L55</u>	L54 and density	0	<u>L55</u>
<u>L54</u>	6507840.pn.	1	<u>L54</u>
<u>L53</u>	L52 and histogram	34	<u>L53</u>
<u>L52</u>	L51 near3 L48	232	<u>L52</u>
<u>L51</u>	L50 or L49	142037	<u>L51</u>
<u>L50</u>	subset	109190	<u>L50</u>
<u>L49</u>	bucket	34690	<u>L49</u>
<u>L48</u>	density	750230	<u>L48</u>
<u>L47</u>	L46 and density	1	<u>L47</u>
<u>L46</u>	('6415287')!.PN.	1	<u>L46</u>
<u>L45</u>	tuple near3 density	11	<u>L45</u>
<u>L44</u>	L1 and density	1	<u>L44</u>
<u>L43</u>	L40 and @ad<20010101	50	<u>L43</u>
<u>L42</u>	L41 same L40	5	<u>L42</u>
<u>L41</u>	(join\$3 or merg\$3)	931224	<u>L41</u>

<u>L40</u>	bucket near3 density	82	<u>L40</u>
<u>L39</u>	merg\$3 near bucket near3 density	1	<u>L39</u>
<u>L38</u>	5870752.pn. and (bucket near3 density)	0	<u>L38</u>
<u>L37</u>	5870752.pn. and (number near5 bucket)	1	<u>L37</u>
<u>L36</u>	L1 and hole	1	<u>L36</u>
<u>L35</u>	5870752.pn. and bucket	1	<u>L35</u>
<u>L34</u>	L31 and bucket	1	<u>L34</u>
<u>L33</u>	L31 and tuple	1	<u>L33</u>
<u>L32</u>	L31 and join	1	<u>L32</u>
<u>L31</u>	L30 and rectang\$4	1	<u>L31</u>
<u>L30</u>	('6804678')!.PN.	1	<u>L30</u>
<u>L29</u>	L28 and histogram	6	<u>L29</u>
<u>L28</u>	rectang\$4 near3 bucket	227	<u>L28</u>
<u>L27</u>	L26 and histogram	2	<u>L27</u>
<u>L26</u>	L25 and @ad<20010101	178	<u>L26</u>
<u>L25</u>	bucket near3 rectangular	220	<u>L25</u>
<u>L24</u>	L23 and rectangular	3	<u>L24</u>
<u>L23</u>	('5581633' '5432893' '4353092')!.PN.	3	<u>L23</u>
<u>L22</u>	L21 and rectangular	1	<u>L22</u>
<u>L21</u>	('5307422')!.PN.	1	<u>L21</u>
<u>L20</u>	L17 and (histogram.ab. or histogram.ti.)	19	<u>L20</u>
<u>L19</u>	L17 and query\$3	5	<u>L19</u>
<u>L18</u>	L17 and 707/\$.ccls.	0	<u>L18</u>
<u>L17</u>	L16 and @ad<20010101	60	<u>L17</u>
<u>L16</u>	histogram near6 rectangular	103	<u>L16</u>
<u>L15</u>	5870752.pn. and rectangular	0	<u>L15</u>
<u>L14</u>	6772142.pn. and rectangular	0	<u>L14</u>
<u>L13</u>	L9 and 707/\$.ccls.	4	<u>L13</u>
<u>L12</u>	L9 and histogram	2	<u>L12</u>
<u>L11</u>	L9 and (histogram near3 maintenance)	0	<u>L11</u>
<u>L10</u>	L9 and (tuning or self-tuning or selftuning)	5	<u>L10</u>
<u>L9</u>	L8 and @ad<20010101	178	<u>L9</u>
<u>L8</u>	rectangular near3 bucket	220	<u>L8</u>
<u>L7</u>	rectangular nar3 bucket	0	<u>L7</u>
<u>L6</u>	L1 and rectangular	1	<u>L6</u>
<u>L5</u>	L4 and query	5	<u>L5</u>
<u>L4</u>	rectangular bucket	54	<u>L4</u>
<u>L3</u>	L1 and (query near6 database)	1	<u>L3</u>
<u>L2</u>	L1 and component	1	<u>L2</u>
<u>L1</u>	09/881500	1	<u>L1</u>

END OF SEARCH HISTORY

<u>L14</u>	split\$4 near3 bucket	189	<u>L14</u>
<u>L13</u>	split\$4 near3 query near3 bucket	0	<u>L13</u>
<u>L12</u>	L11 and (query\$3 with bucket)	1	<u>L12</u>
<u>L11</u>	('6353832')!.PN.	1	<u>L11</u>
<u>L10</u>	L9 and bucket	3	<u>L10</u>
<u>L9</u>	('6557011' '6353832' '6028602')!.PN.	3	<u>L9</u>
<u>L8</u>	creat\$3 near3 bucket near3 query\$3	5	<u>L8</u>
<u>L7</u>	creat\$3	1210693	<u>L7</u>
<u>L6</u>	L5 or L4	57419	<u>L6</u>
<u>L5</u>	bucket	34690	<u>L5</u>
<u>L4</u>	histogram	23466	<u>L4</u>
<u>L3</u>	query\$3	62555	<u>L3</u>
<u>L2</u>	L1 and query\$3	1	<u>L2</u>
<u>L1</u>	5870752.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

<u>L55</u>	parent or child	386116	<u>L55</u>
<u>L54</u>	histogram near6 bucket	108	<u>L54</u>
<u>L53</u>	histogram same parent same child same bucket	1	<u>L53</u>
<u>L52</u>	histogram same parent same child same bucket	1	<u>L52</u>
<u>L51</u>	histogram with parent with child with bucket	1	<u>L51</u>
<u>L50</u>	L47 and (tuning same histogram)	1	<u>L50</u>
<u>L49</u>	L47 and (tuning)	1	<u>L49</u>
<u>L48</u>	L47 and (selftuning or self-tuning)	0	<u>L48</u>
<u>L47</u>	('5664106')!.PN.	1	<u>L47</u>
<u>L46</u>	L45 and histogram	6	<u>L46</u>
<u>L45</u>	('20040068395' '20030113726' '20030023421' '6850252' '5950196' '5664106')!.PN.	6	<u>L45</u>
<u>L44</u>	(tuning or selftuning or self-tuning) same histogram	63	<u>L44</u>
<u>L43</u>	L41 and tuning	13	<u>L43</u>
<u>L42</u>	L41and tuning	0	<u>L42</u>
<u>L41</u>	L40 and splitting	116	<u>L41</u>
<u>L40</u>	L39 and histogram	2066	<u>L40</u>
<u>L39</u>	parent and child and subset	21964	<u>L39</u>
<u>L38</u>	parent bucket and child bucket	1	<u>L38</u>
<u>L37</u>	parent bucket same child bucket	1	<u>L37</u>
<u>L36</u>	L31 and query\$3	1	<u>L36</u>
<u>L35</u>	L33 and child	1	<u>L35</u>
<u>L34</u>	L33 and parent	0	<u>L34</u>
<u>L33</u>	6507840.pn.	1	<u>L33</u>
<u>L32</u>	L31 and updat\$3	1	<u>L32</u>
<u>L31</u>	20020198896	1	<u>L31</u>
<u>L30</u>	09/881500.pn.	0	<u>L30</u>
<u>L29</u>	L27 and (query same bucket)	1	<u>L29</u>
<u>L28</u>	L27 and (query same histogram)	1	<u>L28</u>
<u>L27</u>	6507840.pn.	1	<u>L27</u>
<u>L26</u>	L11 and histogram	1	<u>L26</u>
<u>L25</u>	(incremental and maintenance and random and sample).ti.	0	<u>L25</u>
<u>L24</u>	L1 and application	1	<u>L24</u>
<u>L23</u>	L1 and (query same bucket)	1	<u>L23</u>
<u>L22</u>	L20 and bucket	0	<u>L22</u>
<u>L21</u>	L20 and (query same bucket)	0	<u>L21</u>
<u>L20</u>	5999192.pn.	1	<u>L20</u>
<u>L19</u>	L17 and (bucket same query\$3)	1	<u>L19</u>
<u>L18</u>	L17 and bucket	1	<u>L18</u>
<u>L17</u>	6507840.pn.	1	<u>L17</u>
<u>L16</u>	L14 same L3	4	<u>L16</u>
<u>L15</u>	L14 near3 L3	0	<u>L15</u>

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	5664106.pn. and (tuning or self-tuning or selftuning)
--------------	---

Display:	<input type="text" value="50"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
-----------------	---

Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image
------------------	--

Search	Clear	Interrupt
--------	-------	-----------

Search History

DATE: Tuesday, February 08, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L70</u>	5664106.pn. and (tuning or self-tuning or selftuning)	1	<u>L70</u>
<u>L69</u>	09/881500 and (tuning or self-tuning or selftuning)	1	<u>L69</u>
<u>L68</u>	5870752.pn. and (tuning or self-tuning or selftuning)	0	<u>L68</u>
<u>L67</u>	L66 and (tuning or self-tuning or selftuning)	0	<u>L67</u>
<u>L66</u>	6507840.pn.	1	<u>L66</u>
<u>L65</u>	L64 and contain\$3	1	<u>L65</u>
<u>L64</u>	09/881500	1	<u>L64</u>
<u>L63</u>	L62 and histogram	1	<u>L63</u>
<u>L62</u>	5664106.pn.	1	<u>L62</u>
<u>L61</u>	L60 and (tuning or self-tuning or selftuning)	0	<u>L61</u>
<u>L60</u>	5870752.pn.	1	<u>L60</u>
<u>L59</u>	L58 and L57	3	<u>L59</u>
<u>L58</u>	('6691099' '6154771' '5870752')!.PN.	3	<u>L58</u>
<u>L57</u>	histogram near6 bucket near6 (split\$4 or divid\$3)	11	<u>L57</u>
<u>L56</u>	L55 same L54	1	<u>L56</u>